

PETER C. LIGHTFOOT - PUBLICATIONS (updated 14 April, 2022)

Textbook

Lightfoot, P.C. 2016. Nickel Sulfide Ores and Impact Melts: Origin of the Sudbury Igneous Complex. Elsevier. In the Press. 662 pages. <http://store.elsevier.com/Nickel-Sulfide-Ores-and-Impact-Melts/Peter-Lightfoot/isbn-9780128040508/>

Special Volumes (Editor)

Lightfoot, P.C. Bagas, L., & Nie F-J (2015) Gold Deposits of China. Ore Geology Review Special Volume. Volume 73, Part 2.

Barnes, S.J. Lightfoot, P.C. & Wang C.Y. (2013) Preface: A Special Issue Devoted to Magmatic Sulfide Mineralization and Ore Deposits with Special Emphasis on China. Economic Geology. Volume 108.

Lesher C.M. & Lightfoot, P.C. (2012) Special Issue on Ni-Cu-(PGE) and PGE Deposits. Mineralium Deposita, Volume 47.

Keays, R.R., Lesher, C.M., Lightfoot, P.C., & Farrow, C.E.G. (1999) Dynamic processes in magmatic ore deposits and their application to mineral exploration. GAC Short Course, Volume 13.

Lightfoot, P.C. & Naldrett A.J. (1994) Proceedings of the Sudbury-Noril'sk Symposium. Ontario Geological Survey Special Volume 5, 423 pages.

Peer reviewed papers in major journals

Mathieu, L., Riller, U., Gibson, L., and Lightfoot, P.C. 2021. Structural controls on the localization of the mineralized Copper Cliff embayment and the Copper Cliff offset dyke, Sudbury Igneous Complex, Canada. *Ore Geology Reviews*, 133

Wang, Y., Lesher, C.M. Lightfoot, P.C., Pattison, E.F., and Golightly, J.P. 2020. Geochemistry and Petrogenesis of Mafic and Ultramafic Inclusions in Sublayer and Offset Dikes, Sudbury Igneous Complex, Canada. *Journal of Petrology* 61

Waterton, P., William R Hyde, Jonas Tusch, Julie A Hollis, Christopher L Kirkland, Carson Kinney, Chris Yakymchuk, Nicholas J Gardiner, David Zakharov, Hugo KH Olierook, Carsten Münker, Peter C Lightfoot, Kristoffer Szilas. 2021. Geodynamic implications of synchronous norite and TTG formation in the 3 Ga Maniitsoq Norite Belt, West Greenland. *Frontiers in Earth Sciences* 8.

Keays R.R. and Lightfoot, P.C. 2020. Mafic intrusions in the footwall of the Sudbury Igneous Complex: origin of the Sudbury impact melt sheet and its associated ore deposits. *Ore Geology Reviews* 120

Good, D.J. and Lightfoot, P.C. Significance of the metasomatized lithospheric mantle in the formation of early basalts and Cu–platinum group element sulfide mineralization in the Coldwell Complex. *Canadian Journal of Earth Sciences* 56 (7), 693-714

Wüstemann,T., P Göllner, PC Lightfoot, U Riller. 2019. Genetic relationship between post-cratering dynamics and footwall deposit formation at Sudbury, Ontario, Canada: Importance for sulfide ore exploration. *Economic Geology* 114 (4), 599-612

Göllner Paul, L., Torben Wüstemann, Lisa Bendschneider, Sebastian Reimers, Martin D. Clark, Lisa Gibson, Peter C. Lightfoot, Ulrich Riller. 2019. Thermo-mechanical interaction of a large impact melt

sheet with adjacent target rock, Sudbury impact structure, Canada. Meteoritics and Planetary Science. DOI: 10.1111/maps.13268

Boyd, T. Ronacher, E. and Lightfoot, P.C. 2019. 43-101 report on the Newmont Lake Property, British Columbia.

Wang Y. , Lesher C. M. , Lightfoot P. C. , Pattison E. F. , Golightly J. P. 2018. Shock metamorphic features in mafic and ultramafic inclusions in the Sudbury Igneous Complex: Implications for their origin and impact excavation. *Geology* 46, 443–446.

Papapalova, K., Darling, J.R., Moser, D.E., Barker, I.R., White, L.F. and Lightfoot P.C. 2018. U-Pb isotopic dating of titanite microstructures: potential implications for the chronology and identification of large impact structures. *Contribs. Mineral. Petrol.* 173(10), 82

Barnes, S.J., Staude, S., Le Vaillant, M., Pina, R., and Lightfoot, P.C. 2018. Sulfide-silicate textures in magmatic Ni-Cu-PGE sulfide ore deposits: massive, semi-massive and matrix breccia ores. *Ore Geology Reviews*.

Papapalova, K. Darling, J.R., Lightfoot, P.C., Lasalle, S., Gibson, L., and Storey, C.D. 2018. Polyorogenic reworking of ore-controlling shear zones at the South Range of the Sudbury impact structure: A telltale story from in situ U-Pb titanite geochronology. *Terra Nova* 30(3) 254-261.

Wang, Y., Lesher, C.M., Lightfoot, P.C., Pattison, E.F.P., and Golightly, J.P. 2018. Shock metamorphic features in mafic and ultramafic inclusions in the Sudbury Igneous Complex: Implications for their origin and impact excavation. *Geology* 46(5) 443-446.

Lightfoot, P.C. 2018. Exploration for base and precious metals in the Rainy River District, NW Ontario. <https://www.slideshare.net/MomentumPR/crystal-lake-mining-technical-highlights-of-the-nicobat-project-a-pipeline-of-exploration-opportunities>

Barnes, S.J., Mungall, J.E., Le Vaillant, M., Godel, B., Lesher, C.M., Holwell, D., Lightfoot, P.C., Krivolutskaya, N., and Wei, B. (2017). Sulfide-silicate textures in magmatic Ni-Cu-PGE sulfide ore deposits. 1. Disseminated and net-textured ores. *American Mineralogist*. <https://doi.org/10.2138/am-2017-5754>

Lightfoot, PC, Stewart, R, Gribbin, G, Mooney, S. (2017) Relative roles of primary magmatic processes, deformation. And metamorphism in the genesis of compositional diversity in Thompson Ore Bodies, Manitoba, Canada. Invited paper: *Ore Geology Reviews*. 83: 258-286.

O'Callaghan, J.W., Osinski, G.R., Lightfoot, P.C., Linnen, R.L., and Wierich, J.R. 2016. Reconstructing the geochemical signature of Sudbury Breccia, Ontario, Canada: Implications for its formation and trace metal content. *Economic Geology*. 111: 1705-1729. <https://doi.org/10.2113/econgeo.111.7.1705>

Ripley, E.M., Lightfoot, P.C., Stifler, E.C., Underwood, B., Taranovic, V., Dunlop, M., and Donoghue, K.A. 2015. Heterogeneity of S isotope compositions recorded in the Sudbury Igneous Complex, Canada: Significance to formation of Ni-Cu sulfide ores and the host rocks. *Economic Geology* 110(4):1125-1135. DOI: 10.2113/econgeo.110.4.1125.

Saumur, B.M., Cruden, A.R., Evans-Lamswood, D. and Lightfoot P.C. 2015. Wall rock structural controls on the genesis of the Voisey's Bay intrusion and its Ni-Cu magmatic sulfide mineralization (Labrador, Canada). *Economic Geology*. 110: 681-711.

Petrus, J.A., Kenny, G.G., Ayer, J., Lightfoot, P.C., Kamber, B.S. 2015. Uranium–lead zircon systematics in the Sudbury impact crater-fill: implications for target lithologies and crater evolution. *Journal of the Geological Society* · October 2015. DOI: 10.1144/jgs2014-056

- Lightfoot, PC & Zotov, I.A. 2014. Geological relationships between the intrusions, country rocks, and Ni-Cu-PGE sulfides of the Kharaelakh Intrusion, Noril'sk Region: implications for the role of sulfide differentiation and metasomatism in their genesis. *Northwestern Geology*. 1-35.
- Doherty, W., Lightfoot, P.C., and Ames, D.E. 2014. A drift correction optimization technique for the reduction of the inter-measurement dispersion of isotope ratios measured using a multi-collector plasma mass spectrometer. *Spectrochimica Acta Part B*. DOI: 10.1016/j.sab.2014.05.008
- Keays, RR, and Lightfoot, PC. 2015. Geochemical Stratigraphy of the Keweenawan Midcontinent Rift Volcanic Rocks with Regional Implications for the Genesis of Associated Ni, Cu, Co, and Platinum Group Element Sulfide Mineralization. *Economic Geology*. 110: 1235-1267.
- Lightfoot, P.C and Evans-Lamswood, DE. 2015. Structural controls on nickel sulphide deposits with applications at Voisey's Bay. Invited paper: *Ore Geology Reviews*. 64: 354-386.
- Yang, S.H., Zhou, M-F., Lightfoot, P.C., Malpas, J., Qu, W.J., Zhou, J.B., and Kong D.Y. 2013. Selective crustal contamination and decoupling of lithophile and chalcophile element isotopes in sulfide-bearing mafic intrusions: an example from the Jingbulake intrusion, NW China. *Chemical Geology*, 302-303: 106-118.
- Yang, S.H., Zhou, M.F., Lightfoot, P.C., Xu, J.F., Wang, C.Y., Jiang, C.Y., & Qu, W.J. 2013. Re-Os isotope and platinum-group element geochemistry of the Pobei Ni-Cu sulfide-bearing mafic-ultramafic complex in the northeastern part of the Tarim Craton. *Mineralium Deposita*, 45: 241-257.
- Gao, J-F., Zhou, M-F., Lightfoot, P.C., Wang, C.Y., Qi, L., Sun, M. 2013. Sulfide saturation and magma emplacement in the formation of the Permian Huangshandong Ni-Cu sulfide deposit, Xinjiang, Northwestern China. *Economic Geology*, 108: 1833-1848.
- Gao, J.F. Zhou, M.F., Lightfoot, P.C., Wang, C.Y., Qi L. 2012. Origin of PGE-poor and Cu-rich magmatic sulfides from the Kalatongke deposit, Xinjiang, NW China. *Economic Geology*, 47: 731-738.
- Darling, J.R., Storey, C.D., Hawkesworth, C.J., Lightfoot P.C. 2012. In-situ Pb isotope analysis of Fe-Ni-Cu-Zn sulphides by laser ablation multi-collector ICPMS: new insights into ore formation in the Sudbury impact melt sheet. *Geochim Cosmochim Acta*. 99: 1-17.
- Gao, J-F., Zhou, M-F., Lightfoot, P.C., Qu, W.J. 2012. Heterogeneous Os-isotopes in the Kalatongke sulfide deposit (NW China): the role of crustal contamination. *Mineralium Deposita*, DOI 10.1007/s00126-012-0405-8
- Lightfoot, P.C., Keays, R.R, Evans-Lamswood, D.E. Wheeler, R. 2011. Crustal contamination and multiple S-saturation events in Nain Plutonic Suite magmas: evidence form Voisey's Bay, Labrador, Canada. *Mineralium Deposita*, 47: 277-297.
- Keays, R.R, Lightfoot, P.C, & Hamlyn, P. 2011. Controls on PGE Mineralization in the Ultramafic Zone of the Stillwater Complex, Montana. *Mineralium Deposita*, 47: 151-173.
- J.R. Darling,C.J. Hawkesworth, P.C. Lightfoot, C.D. Storey & E. Tremblay. 2010. Isotopic heterogeneity in the Sudbury impact melt sheet. *Earth and Planetary Science Letters*, 289: 347-356.
- J.R. Darling, C.J. Hawkesworth, P.C. Lightfoot, C.D. Storey. 2010. Isotopic heterogeneity in the Offset Dykes at Sudbury. *Geochimica Cosmochimica Acta*. 74: 5680-5696.
- Keays , R.R, Lightfoot, P.C. 2009. Crustal sulphur is required to form magmatic Ni-Cu sulphides: evidence from chalcophile element signatures of Siberian and Deccan Trap basalts. *Mineralium Deposita*, 18: 319-336

- Keays, R.R., Lightfoot, P.C. 2007. Siderophile and chalcophile metal variations in Tertiary picrites and basalts from West Greenland with implications for the sulphide saturation history of continental flood basalt magmas. *Mineralium Deposita*. 42: 319-336.
- Lightfoot, P.C. 2007. Advances in Ni-Cu-PGE Deposit Models and Exploration Technologies, Ore Deposits and Exploration Technology. In *Proceedings of Exploration 2007*. 629-646.
- Lightfoot, P.C., Keays, R.R. 2005. Siderophile and Chalcophile Metal Variations in Flood Basalts from the Siberian Trap, Noril'sk Region: Implications for the Origin of the Ni-Cu-PGE Sulfide Ores. *Economic Geology*, 100: 39-462.
- Lightfoot P.C., Zotov, I.A. 2005. Geology and Geochemistry of the Sudbury Igneous Complex, Ontario, Canada: Origin of Nickel Sulfide Mineralization Associated with an Impact-Generated Melt Sheet. *Geology of Ore Deposits*, 47: 349- (In Russian and English)
- Keays, R.R., Lightfoot, P.C. 2004. Formation of Ni–Cu–Platinum Group Element sulfide mineralization in the Sudbury Impact Melt Sheet. *Mineralogy and Petrology*, 82: 217-258.
- Ripley, E.M., Lightfoot, P.C., Li, C., Elswick, E.R. 2003. Sulfur isotopic studies of continental flood basalts in the Noril'sk region: Implications for the association between lavas and ore-bearing intrusions. *Geochimica et Cosmochimica Acta*, 67: 2805-2817.
- Lightfoot, P.C., Farrow, C.E.G. 2002. Geology, geochemistry and mineralogy of the Worthington Offset Dyke: towards a genetic model for offset mineralisation in the Sudbury Igneous Complex. *Economic Geology*. 97: 1419-1446
- Farrow, C.E.G., and Lightfoot, P.C. 2002. Sudbury PGE revisited: towards an integrated model. CIM Special Volume 54: 273-298.
- Lightfoot, P.C., Keays, R.R., and Doherty, W. 2001 Chemical evolution and origin of nickel sulphide mineralisation in the Sudbury Igneous Complex, Ontario, Canada. *Economic Geology*. 96: 1855-1875.
- Li, C., Lightfoot, P. C., Amelin, Y V., Naldrett, AJ. 2000. Contrasting petrological and geochemical relationships in the Voisey's Bay and Mushauau intrusions, Labrador, Canada; implications for ore genesis. Naldrett, Anthony J. (editor), Li, Chusi (editor), A special issue on Voisey's Bay Ni-Cu-Co deposit. *Economic Geology*, 95: 771-799.
- Prevec, S.A., Lightfoot, P.C., Keays, R.R. 2000. Evolution of the Sublayer of the Sudbury Igneous Complex: geochemical, Sm-Nd isotopic and petrological evidence. *Lithos*, 51: 271-292.
- Keays, R.R., Lightfoot. P.C. 1999. The role of meteorite impact, source rocks, protores and mafic magmas in the genesis of the Sudbury Ni-Cu-PGE sulphide ore deposits. GAC-MAC-MDD Short Course, 13: 329-366.
- Lightfoot, P.C., Naldrett A.J. 1999. Geological and geochemical relationships in the Voisey's Bay Intrusion, Nain Plutonic Suite, Labrador, Canada. GAC-MAC-MDD Short Course, 13: 1-30.
- Naldrett, A.J., Lightfoot, P.C. 1999. Ni-Cu-PGE deposits of the Noril'sk Region, Siberia: their formation in conduits for flood basalt volcanism. GAC-MAC-MDD Short Course, 13: 195-250.
- Corfu, F. & Lightfoot, P.C. 1997. U-Pb geochronology of the Sublayer environment, Sudbury Igneous Complex, Ontario. *Economic Geology*. 91: 1263-1269.
- Lightfoot, P.C., Hawkesworth, C.J., Olshefsky, K., Green, T., Doherty, W. & Keays, R.R. 1997. Geochemistry of Tertiary tholeiites and picrites from Qeqertarsuaq (Disko island) and Nuussuaq, West

Greenland with implications for the mineral potential of comagmatic intrusions. Contributions to Mineralogy & Petrology. 128:139-163.

Lightfoot, P.C., Keays, R.R., Morrison, G.G., Bite, A., Farrell, K. 1997. Geochemical Relationships in the Sudbury Igneous Complex: Origin of the Main Mass and Offset Dikes. Economic Geology. 92: 289-307.

Lightfoot, P.C., Keays, R.R., Morrison, G.G., Bite, A., Farrell, K. 1997. Geologic and geochemical relationships between the contact sublayer, inclusions, and the main mass of the Sudbury Igneous Complex: A case study of the Whistle Mine Embayment. Economic Geology. 92: 647-673.

Naldrett, A.J., Fedorenko, V.A., Asif, M., Shushen, L. Kunilov, V.E., Stekhin, A.I., Lightfoot, P.C., Gorbachev, N.S. 1996. Controls on the composition of Ni-Cu sulphide deposits as illustrated by those at Noril'sk, Siberia. Economic Geology, 91: 751-773.

Hawkesworth, C.J., Lightfoot, P.C. Fedorenko, V.A., Blake, S., Naldrett, A.J., Doherty, W., & Gorbachev, N.S. 1995. Magma differentiation and mineralisation in the Siberian continental flood basalts. Lithos. 34:61-88.

Sage, R.P.S., Lightfoot, P.C., & Doherty, W. 1995. Cyclical bimodal felsic-mafic volcanism of the Michipicoten Greenstone Belt, Ontario. Precambrian Research. 76:119-153.

Sage, R.P.S., Lightfoot, P.C., & Doherty, W. 1995. Geochemical characteristics of granitoid rocks from within the Archean Michipicoten Greenstone Belt, Wawa Subprovince, Superior Province, Canada. Implications for source regions and tectonic evolution. Precambrian Research, 76:155-190.

Lightfoot, P.C., Naldrett, A.J., Hawkesworth, C.J., Gorbachev, N.S., Fedorenko, V.A., Hergt, J., Doherty W. 1994. Source and evolution of Siberian Trap Lavas, Noril'sk District, Russia: Implications for the origin of the sulfides. Sudbury-Noril'sk Symposium Volume. Special Publication No. 5. Ontario Geological Survey.

Naldrett, A.J., Fedorenko, V.A., Lightfoot, P.C., Gorbachev, N.S., Doherty, W., Asif, M., Lin, S-S., Johan, J. 1994. Ni-Cu-PGE deposits of the Noril'sk Region: A model for other world class magmatic sulphide deposits. Transactions of the Institute of Mining & Metallurgy. 104: B18-B36.

Brugmann, G.E., Naldrett, A.J., Asif, M., Lightfoot, P.C., Gorbachev, N.S., & Fedorenko, V.C.A. 1993. Siderophile and chalcophile metals as tracers of the evolution of the Siberian Trap in the Noril'sk Region. Geochimica Cosmochimica Acta, 57: 2001-2018.

Lightfoot, P.C., de Souza, H., Doherty, W. 1993. Differentiation, source, and mineral potential of the Nipissing Diabase, Nipissing Diabase Province, Ontario, Canada. Canadian Journal of Earth Sciences, 30: 123-1140.

Lightfoot, P.C., Hawkesworth, C.J., Hergt, J., Naldrett, A.J., Gorbachev, N.S., Fedorenko, V.A., Doherty, W. 1993. Remobilisation of the continental lithosphere by mantle plumes: major-, trace-element, and Sr-, Nd-, and Pb-isotope evidence from picritic and tholeiitic lavas of the Noril'sk District, Siberian Trap, Russia. Contributions to Mineral & Petrology, 114: 171-188.

Naldrett, A.J., Lightfoot, P.C. 1993. A model for giant magmatic sulphide deposits associated with flood basalts. Society of Economic Geologists, Special Publication No. 2. p.81-124.

Naldrett, A.J., Lightfoot, P.C., Fedorenko, V., Doherty, W., Gorbachev, N.S. 1992. Geology and geochemistry of intrusions and flood basalts of the Noril'sk Region, USSR, with Implications for the origin of the Ni-Cu ores. Economic Geology, 87: 975-1004.

Noble, S.R., Lightfoot, P.C. 1992. U-Pb baddelyite ages for the Kerns and Triangle Mountain Intrusions, Nipissing diabase province, Ontario. Canadian Journal of Earth Sciences. 29: 1424-1429.

- Lightfoot, P.C., Doherty, W., Naldrett, A.J., Gorbachev N.S., Fedorenko, V.A. 1991. Recent geochemical data from Noril'sk, USSR - The relative roles of the mantle and crust in the genesis of the Siberian Traps and mineralized and unmineralized intrusions. *Global Tectonics and Metallogeny*, Vol 4: 65-67.
- Lightfoot, P.C., Sutcliffe, R.H., Doherty, W. 1991. Crustal Contamination Identified in Keweenawan Osler Group Tholeiites, Ontario: A trace element perspective. *Journal of Geology*. 99: 739-760.
- Lightfoot, P.C., Hawkesworth, C.J., Devey, C.W., Rogers, N.W., Van Calsteren, P.W.C. 1990. Source and differentiation of Deccan Trap Lavas: Implications of geochemical and mineral chemical variations. *Journal of Petrology*. 31: 1165-1200.
- Lightfoot, P.C., Naldrett, A.J., Gorbachev, N.S., Doherty, W., Fedorenko, V.A. 1990. Geochemistry of the Siberian Trap of the Noril'sk Area, USSR, with implications for the relative contributions of crust and mantle to flood basalt magmatism. *Contributions to Mineralogy & Petrology*. 104: 631-644.
- Lightfoot, P.C., Naldrett, A.J. 1989. Assimilation and crystallisation in basic magma chambers: trace-element and Nd-isotopic variations in the Kerns sill, Nipissing diabase, province of Ontario, Canada. *Canadian Journal of Earth Sciences*, 26: 737-754.
- Lightfoot, P.C., Hawkesworth, C.J. 1988. Origin of Deccan Trap Lavas: evidence from combined trace element and Sr-, Nd-, and Pb-isotope studies. *Earth & Planetary Science Letters*, 91: 89-104.
- Noble, S.R., Lightfoot, P.C., Schärer, U. 1988. A method for single-filament isotopic analysis of Nd using in-situ reduction. *Isotope Geology*, 79:15-19.
- Lightfoot, P.C., Hawkesworth, C.J., Sethna, S.F. 1987. Petrogenesis of rhyolites and trachytes from the Deccan Trap: Sr, Nd, and Pb isotope and trace element evidence. *Contributions to Mineralogy & Petrology*, 95: 44-54.
- Lightfoot, P.C., Naldrett, A.J., Hawkesworth, C.J. 1987. A re-evaluation of the chemical variation in the Insizwa Complex, Transkei, and the nature of the parent magma. *Canadian Mineralogist*, 25: 79-90.
- Devey, C., Lightfoot, P.C. 1986. Stratigraphic studies of the South Deccan Trap, Maharashtra, India. *Bulletin of Volcanology*, 48:195-207.
- Lightfoot, P.C., Hawkesworth, C.J., Sethna, S.F. 1984. Rhyolites and trachytes of the Deccan Trap around Bombay. Significance of Sr, Nd, and Pb-isotope and trace element data. In: *Proceedings of the Fifth Session, Indian Geological Congress*, p.243-247.
- Lightfoot, P.C. & Naldrett, A.J. 1984. Chemical variation in the Insizwa Complex, Transkei, and the nature of the parent magma. *Canadian Mineralogist*, 22:111-123.
- Lightfoot, P.C., Naldrett, A.J., & Hawkesworth, C.J. 1984. The geology and geochemistry of the Waterfall Gorge Section of the Insizwa Complex with particular reference to the origin of the nickel sulfide deposits. *Economic Geology*, 79: 1857-1879.
- Naldrett, A.J., Duke, J.M., Lightfoot, P.C., & Thompson, J.F. 1984. Quantitative modelling of the segregation of magmatic sulfides: an exploration guide. *Canadian Mining & Metallurgy Bulletin*, 77: 46-56.
- Lightfoot, P.C., Naldrett, A.J. 1983. The geology of the Tabankulu Section of the Insizwa Complex, Transkei, Southern Africa, with reference to the nickel potential. *Transactions of the Geological Society of South Africa*, 86: 169-187.